

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

1.-57. (Canceled)

58. (Currently Amended) A composition comprising:

(a) one or more flavones or isoflavones capable of stimulating chloride secretion;

(b) one or more of:

(i) a compound that increases expression of a CFTR in an epithelial cell; and/or

(ii) a chemical chaperone that increases trafficking of a CFTR to a plasma membrane in an epithelial cell; and

(c) a physiologically acceptable carrier.

59. (Currently Amended) A composition comprising:

(a) genistein;

(b) one or more of:

(i) a compound that increases expression of a CFTR in an epithelial cell; and/or

(ii) a chemical chaperone that increases trafficking of a CFTR to a plasma membrane in an epithelial cell; and

(c) a physiologically acceptable carrier.

60. (Currently Amended) A composition comprising:

(a) quercetin;

(b) one or more of:

(i) a compound that increases expression of a CFTR in an epithelial cell; and/or

(ii) a chemical chaperone that increases trafficking of a CFTR to a plasma membrane in an epithelial cell; and

(c) a physiologically acceptable carrier.

61. (Currently Amended) A composition comprising:

(a) apigenin;

(b) one or more of:

(i) a compound that increases expression of a CFTR in an epithelial cell; and/or

(ii) a chemical chaperone that increases trafficking of a CFTR to a plasma membrane in an epithelial cell; and

(c) a physiologically acceptable carrier.

62. (Currently Amended) A composition comprising:

(a) kaempferol;

(b) one or more of:

(i) a compound that increases expression of a CFTR in an epithelial cell; and/or

(ii) a chemical chaperone that increases trafficking of a CFTR to a plasma membrane in an epithelial cell; and

(c) a physiologically acceptable carrier.

63. (Currently Amended) A composition comprising:

(a) biochanin A;

(b) one or more of:


(i) a compound that increases expression of a CFTR in an epithelial cell; and/or

(ii) a chemical chaperone that increases trafficking of a CFTR to a plasma membrane in an epithelial cell; and


- (c) a physiologically acceptable carrier.

64. (Previously Presented) A composition comprising:

- (a) a polyphenolic compound having the formula:



or



wherein carbon atoms at positions 2, 3, 5, 6, 7, 8, 2', 3', 4', 5' and 6' are bonded to a moiety independently selected from the group consisting of hydrogen atoms, hydroxyl groups and methoxyl groups, and wherein X is a single bond or a double bond; or a stereoisomer of any of the foregoing polyphenolic compounds;

- (b) a compound selected from the group consisting of resveratrol, ascorbic acid, ascorbate salts and dehydroascorbic acid; and
- (c) a physiologically acceptable carrier.

65. (New) A method for treating cystic fibrosis in a mammal, comprising administering to a mammal a composition comprising a physiologically acceptable carrier or excipient in combination with:

- a. one or more compounds selected from the group consisting of flavones and isoflavones, wherein the compound is capable of stimulating chloride secretion; and
- b. one or more of

(i) a substance that increase trafficking of a CFTR to the plasma membrane of epithelial cells; and

(ii) a substance that increase expression of a CFTR in epithelial cells;

thereby treating cystic fibrosis in a mammal.

66. (New) The method according to claim 65, wherein the substance increases expression of a CFTR in the cells and is selected from the group consisting of 4-phenylbutyrate and sodium butyrate.

67. (New) The method according to claim 65, wherein the substance is a chemical chaperone that increases trafficking of a CFTR to the plasma membrane of the cells, and wherein the compound is selected from the group consisting of glycerol, dimethylsulfoxide, trimethylamine N-oxide, taurin, methylamine and deoxyspergualin.